

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------------------|------------------|---------|------------------|
| L1 | 53 | (applet WITH library) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L2 | 43 | applet config\$ browser network 709/220.ccls. @ad<"20010803" (physical or MAC) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L3 | 113 | applet config\$ browser network bootstrap physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L4 | 683 | config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L5 | 113 | applet config\$ browser network bootstrap physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L6 | 761 | config\$ (MAC or "physical address" or link?layer) SAME send @ad<"20010803" "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:34 |
| L7 | 460 | applet config\$ browser (MAC or physical) boot\$ @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| L8 | 60 | config\$ manage\$ heartbeat start (timestamp or seed) "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| L9 | 54 | "7"\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connection or access or tunnel or transfer or remote)) browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| L10 | 112 | (applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| L11 | 31 | config\$ WITH (MAC or "physical address" or link?layer) applet network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |

EAST Search History

| | | | | | | |
|-----|-------|--|--------------------------------------|-----|----|------------------|
| L12 | 10931 | 709/22\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| L13 | 14797 | "713"/\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2007/01/31 14:35 |
| S1 | 31086 | network management database @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 10:49 |
| S2 | 8798 | network management database synch\$ device @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/10 16:49 |
| S3 | 3733 | applet config\$ browser @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 10:24 |
| S4 | 3659 | applet config\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/10 16:51 |
| S5 | 114 | applet config\$ browser network bootstrap @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/10 16:51 |
| S6 | 58 | applet config\$ browser network 709/220.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:35 |
| S7 | 0 | applet config\$ browser network kickstart bootstrap physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 09:14 |
| S8 | 92 | applet config\$ browser network bootstrap physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:19 |
| S9 | 35 | applet config\$ browser network 709/220.ccls. @ad<"20010803" (physical or MAC) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 09:47 |
| S10 | 2184 | applet config\$ browser network @ad<"20010803" (physical or MAC) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 09:47 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------------------------|-----|----|------------------|
| S11 | 564 | config\$ network 709/220.ccls. @ad<"20010803" (physical or MAC) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 09:48 |
| S12 | 333 | config\$ network 709/220.ccls. database @ad<"20010803" (physical or MAC) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 09:48 |
| S13 | 1 | "6834298".pn. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:33 |
| S14 | 2176 | config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 10:26 |
| S15 | 552 | config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 10:55 |
| S16 | 37 | config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/220.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 10:51 |
| S17 | 10 | config\$.ti. (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:15 |
| S18 | 644 | config\$ (MAC or "physical address" or link?layer) SAME send network @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:16 |
| S19 | 647 | config\$ (MAC or "physical address" or link?layer) SAME send @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:32 |
| S20 | 0 | config\$ "send using" SAME "physical address" @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:33 |
| S21 | 0 | config\$ "send using" SAME "MAC" @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:33 |
| S22 | 862 | config\$ SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:35 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------------|-----|----|------------------|
| S23 | 496 | config\$ use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 11:35 |
| S24 | 43 | use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/220.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 13:47 |
| S25 | 6469 | "agilent technologies" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 13:48 |
| S26 | 67 | "agilent technologies" "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:00 |
| S27 | 1660 | applet database config\$ (deploy or send) "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:00 |
| S28 | 156 | applet WITH database config\$ (deploy or send) "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:05 |
| S29 | 112 | applet WITH database config\$ (deploy or send) secur\$ "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:09 |
| S30 | 112 | (applet WITH database) config\$ (deploy or send) secur\$ "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:29 |
| S31 | 120 | (applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:34 |
| S33 | 1 | "6260078".pn. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 14:35 |
| S34 | 93 | (applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/11 15:19 |
| S35 | 47 | (applet WITH library) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/14 09:08 |

EAST Search History

| | | | | | | |
|-----|------|---|-----------------------------|-----|----|------------------|
| S36 | 93 | (applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/14 10:00 |
| S37 | 0 | "autonomous management session" "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/14 10:00 |
| S38 | 243 | config\$ manage\$ heartbeat start "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/14 13:03 |
| S39 | 49 | config\$ manage\$ heartbeat start (timestamp or seed) "709"/\$\$\$\$.ccls. @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/03/14 13:03 |
| S40 | 2185 | applet config\$ browser network physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:19 |
| S41 | 95 | applet config\$ browser network bootstrap physical @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S42 | 2284 | applet config\$ browser (MAC or physical) @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S43 | 400 | applet config\$ browser (MAC or physical) boot\$ @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S44 | 110 | applet SAME config\$ browser (MAC or physical) boot\$ @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S45 | 483 | config\$ SAME browser (MAC or physical) boot\$ @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S46 | 202 | config\$ SAME browser applet (MAC or physical) boot\$ @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2005/08/23 16:20 |
| S47 | 1 | "6256668".pn. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 09:31 |

EAST Search History

| | | | | | | |
|-----|------|--|--------------------------------------|-----|----|------------------|
| S48 | 1 | "20020184619".pn. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 09:33 |
| S49 | 1 | "5974454".pn. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 09:34 |
| S50 | 1 | "6123737".pn. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 09:34 |
| S51 | 4101 | applet config\$ browser @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/22 10:24 |
| S52 | 27 | config\$ WITH (MAC or "physical address" or link?layer) applet network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/23 10:20 |
| S53 | 69 | config\$ SAME boot (MAC or "physical address" or link?layer) applet network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/23 10:26 |
| S54 | 57 | config\$ SAME boot (MAC or "physical address" or link?layer) applet network @ad<"20010803" not intertrust.as. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/23 10:26 |
| S55 | 161 | (custom\$ WITH applet) (config\$ WITH applet) browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:39 |
| S56 | 132 | (custom\$ WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:40 |
| S57 | 132 | (custom\$ WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" not intertrust.as. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:41 |
| S58 | 83 | ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" not intertrust.as. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:41 |
| S59 | 83 | ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:46 |

EAST Search History

| | | | | | | |
|-----|----|---|--------------------------------------|-----|----|------------------|
| S60 | 31 | "709"/\$.ccls. ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:09 |
| S61 | 61 | "7".\$.ccls. ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 10:47 |
| S62 | 72 | "7".\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) secur\$ browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:09 |
| S63 | 52 | "7".\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connection or access or tunnel or transfer or remote)) browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:10 |
| S64 | 52 | "7".\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connect\$ or access or tunnel or transfer or remote)) browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:15 |
| S65 | 18 | "709"/\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connect\$ or access or tunnel or transfer or remote)) browser network @ad<"20010803" | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:47 |
| S66 | 2 | ("6345294".pn. or "20030023732".pn. or "20020198969".pn.) (timestamp or seed or unique) | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:49 |
| S67 | 1 | ("6345294".pn. or "20030023732".pn. or "20020198969".pn.) timestamp | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2006/03/24 11:49 |